




SS-600VP-E 集成系列 LED驱动电源



	28V		56V	28-48V
	48V		56V	Po=Vo*Io=600W
	10.7A		12.5A	12.5A 48V,10.7A 56V



SS-600VP-E 集成系列 LED 驱动电源

SS

UL/cUL


NEC

CA

S


1

SS-600VP-E 集成系列 LED驱动电源




SS-600VP-E 集成系列 LED驱动电源

Vs. /AOC



600VP-E 集成系列 LED 驱动电源

(Vin=17Vac)




O/P Voltage (V)

Io=12500mA

Io=10700mA

(Vin=17Vac)




O/P Voltage (V)

Io=12500mA

Io=10700mA

SS-600VP-E 集成系列 LED驱动电源


Vs.



Vs.

SS-

SS-600VP-E 集成系列 LED驱动电源





SS-600VP-E 集成系列 LED驱动电源

BHB- *机型



		mm(In.)
	L1	335(13.18)
	L2	325(12.79)

1

LED

;

	W1	89.5(3.52)
	W2	40(1.57)

	H	44.5(1.75)
Tc	X	
Tc	Y	


/RJ25





- mm × × =495 × 385 × 162;
- 5
- 2.6kg 14kg
-

SS-600VP-E 集成系列 LED驱动电源



V00		2025/01/07	