









|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |

|  |
|--|
|  |
|--|







---

Vs.

/AOC





---

Vs.

Vs.

S

3

3

3 3

3

Ql Qú st Vs.

.3

N

∫

%

SS-200SN-E260\*LED

|    |     | mm(In.)                       |
|----|-----|-------------------------------|
|    | A   | 13(0.51)                      |
|    | 4-B | Φ7.0(0.28)                    |
|    | D   | Φ136(5.35)                    |
|    | H   | 62.5(2.46)                    |
|    | Z   | M10*1.5( 18mm)<br>G1/2( 18mm) |
|    | R   | M4*0.7                        |
|    | W   | 113(4.45)                     |
| Tc | X   | 10(0.39)                      |
| Tc | Y   | 33(1.3)                       |

1  
2 ACDCLED  
DIM / / :  
43±5mm10±2mm;

|     |  |   |
|-----|--|---|
|     |  | n |
| Dim |  |   |



L ©

L

CE

86-755-29358800

Z



|     |  |
|-----|--|
| V00 |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |

