




- 91%
- 1-10V 10-0V/5-0V PWM
- IP67
- / / /
- : 10kV/ 6kV
- 5

型号


--	--	--	--	--	--	--	--	--


Project Overview

Project Name	Project ID	Project Manager	Project Status	Project Description
--------------	------------	-----------------	----------------	---------------------


Project Phase	Project Start Date	Project End Date	Project Budget	Project Risk
Project Phase	Project Start Date	Project End Date	Project Budget	Project Risk
Project Phase	Project Start Date	Project End Date	Project Budget	Project Risk

Project Phase	Project Start Date	Project End Date	Project Budget	Project Risk
---------------	--------------------	------------------	----------------	--------------






1-10V		0V		12V	DIM+ 110uA
		10%Iomax		100%Ioset	DIM+/DIM-
		1V		10V	
PWM	PWM	9.8V		10.2V	DIM+ 110uA
	PWM	0V		0.3V	DIM+/DIM-
	PWM	1KHz		2KHz	
	PWM	10%		100%	
		10Kohm		100Kohm	DIM+ 110uA
		10%Iomax		100%Ioset	
10-0V		0V		10V	DIM+ <300uA
		100%Iomax		10%Ioset	DIM+/DIM-
		0V		10V	
5-0V		0V		5V	DIM+ <300uA
		100%Iomax		10%Ioset	DIM+/DIM-
	≤ 77	≥ 62,000 hours			80%
MTBF		220,000 hours			220Vac, , 25 (MIL-HDBK-217F)
		IP67			
		90			
		5			75
		640g			
		171mm*66mm*35.5mm			x x




		T(@10%)	T(@50%)
220Vac	70A		200uS
277Vac	75A	500uS	


Vs. (Vin=277Vac)





Vs.



Vs.





					AC (450 ± 10mm)				
					H05RN-F	3*1.0mm ²	7.3mm	L	N
					DC (250 ± 10mm)				
					H05RN-F	2*1.0mm ²	7.0mm	V+	V-
					DIM (220 ± 10mm)				
					H05RN-F	2*0.75mm ²	6.4mm	DIM+	DIM-



V00		2018/10/18	
V01	450mm	2019/07/20	
V02		2020/06/02	
V03	10-0V	2020/11/10	
V04		2021/07/02	
V05	5-0V	2021/09/25	
V06		2025/12/22	

